



Health Meds

Order #: 84320
Retail Batch #:
B003/23

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

Order Information

Order #: 84320
Order Name: HM-ITM1500CBD:THC-15mLG
Retail Batch #: B003/23
Received: 10/27/2023 18:14:59
Complete: 01/23/2024 19:20:41

Batch Information

Create Date: 10/27/2023
Exp. Date: 10/27/2025
Size: 15

Total Qty.: 0
Matrix: Tincture
Pickup Weight: N/A

CANNABINOID PROFILE
TESTED

LABEL CLAIM
**NOT
APPLICABLE**

MICROBIAL ANALYSIS
PASS

RESIDUAL SOLVENTS
PASS

AGRICULTURAL AGENTS
PASS

HEAVY METAL ANALYSIS
PASS

TERPENES
NOT TESTED

MOISTURE ANALYSIS
NOT TESTED

WATER ACTIVITY
NOT TESTED

FILTH & FOREIGN
NOT TESTED

HOMOGENEITY
NOT TESTED

MYCOTOXIN ANALYSIS
PASS



0.2520 %
Total THC

11.4555 %
Total CBD

13.2736 %
Total Cannabinoids

Diana Asensio, M.S.

Lab Director



ACT Laboratories Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Health Meds

Order #: 84320
Retail Batch #:
B003/23

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

Sample Prep

Tech: 4090
SOP: 418
Batch Number: 61743
Batch Date: 10/27/2023 12:40:50

Sample Analysis

Date/Time: 01/16/2024 21:39:27
Tech: 1012
SOP: 417
Final Weight: 0.2013 g
Volume: 40 ml

CANNABINOID PROFILE

HPLC-DAD

0.2520 %
Total THC

2.381 mg
THC Per Unit

35.721 mg
THC Per Pkg

11.4555 %
Total CBD

108.254 mg
CBD Per Unit

1623.817 mg
CBD Per Pkg

13.2736 %
Total Cannabinoids

125.435 mg
Cannabinoids Per Unit

1881.533 mg
Cannabinoids Per Pkg

Cannabinoid Potency

ANALYTE	LOD/LOQ (mg/g)	DIL.	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE	LABEL CLAIM (mg)	% LABEL VAR.
CBC	0.064/0.1954	1	0.3646	3.646	3.445	51.682	--	--
CBD	0.064/0.1954	1	6.7083	67.083	63.393	950.902	--	--
CBDA	0.064/0.1954	1	5.4130	54.130	51.153	767.293	--	--
CBDV	0.064/0.1954	1	0.0748	0.748	0.707	10.603	--	--
CBG	0.064/0.1954	1	0.0905	0.905	0.855	12.828	--	--
CBGA	0.064/0.1954	1	0.0438	0.438	0.414	6.209	--	--
CBN	0.064/0.1954	1	0.0820	0.820	0.775	11.623	--	--
d8-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--
d9-THC	0.064/0.1954	1	0.2520	2.520	2.381	35.721	--	--
THCA	0.064/0.1954	1	ND	ND	ND	ND	--	--
THCV	0.064/0.1954	1	ND	ND	ND	ND	--	--

Additional Cannabinoids

ANALYTE	LOD/LOQ (mg/g)	DIL.	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE	LABEL CLAIM (mg)	% LABEL VAR.
CBDVA	0.064/0.1954	1	0.1788	1.788	1.690	25.345	--	--
CBL	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBT	0.064/0.1954	1	0.0658	0.658	0.622	9.327	--	--
d10-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--
d9-THCP	0.064/0.1954	1	ND	ND	ND	ND	--	--
exo-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--

mg/unit = 1 (g) per unit x 0.945 (g/ml) x cannabinoid concentration (mg/g)
Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

CANNABINOID TOTALS	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE
Total THC	0.2520	2.520	2.381	35.721
Total CBD	11.4555	114.555	108.254	1623.817
Total Cannabinoids	13.2736	132.736	125.435	1881.533

Diana Asensio, M.S.

Lab Director



ACT Laboratories Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Health Meds

Order #: 84320
Retail Batch #:
B003/23

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

Agricultural Agents

GC-MS/MS

PASS

Sample Prep

Tech: 3393
SOP: 402
Batch Number: 62151
Batch Date: 01/18/2024 13:59:30

Sample Analysis

Date/Time: 01/22/2024 18:11:21
Tech: 3445
SOP: 402
Final Weight: 0.499 g
Volume: 10 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL (ppm)	RESULTS (ppm)
Captan	0.07/0.1	1	3	ND
Chlordane	0.01/0.1	1	0.1	ND
Chlorfenapyr	0.01/0.1	1	0.1	ND
Coumaphos	0.01/0.1	1	0.1	ND
Cy uthrin	0.01/0.1	1	1	ND
Cypermethrin	0.01/0.1	1	1	ND
Methyl parathion	0.01/0.1	1	0.1	ND
Pentachloronitrobenzene	0.01/0.1	1	0.2	ND

MYCOTOXIN ANALYSIS

LC-MS/MS

PASS

Sample Prep

Tech: 3393
SOP: 432
Batch Number: 62152
Batch Date: 01/18/2024 13:59:51

Sample Analysis

Date/Time: 01/23/2024 12:04:59
Tech: 3445
SOP: 424
Final Weight: 0.1086 g
Volume: 2.5 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LEVEL (ppb)	RESULTS (ppb)
A atoxin B1	2/10	1	20	ND
A atoxin B2	2/10	1	20	ND
A atoxin G1	2/10	1	20	ND
A atoxin G2	2/5	1	20	ND
Ochratoxin A	2/10	1	20	ND

Diana Asensio, M.S.

Lab Director



ACT Laboratories Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Health Meds

Order #: 84320
Retail Batch #:
B003/23

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

Agricultural Agents

LC-MS/MS

PASS

Sample Prep

Tech: 3393
SOP: 432
Batch Number: 62152
Batch Date: 01/18/2024 13:59:51

Sample Analysis

Date/Time: 01/23/2024 12:04:59
Tech: 3445
SOP: 424
Final Weight: 0.1086 g
Volume: 2.5 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL(ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT(ppm)	RESULTS (ppm)
Abamectin B1a	0.002/0.035	1	0.3	ND	Imazalil	0.002/0.01	1	0.1	ND
Acephate	0.002/0.04	1	3	ND	Imidacloprid	0.002/0.002	1	3	ND
Acequinocyl	0.002/0.002	1	2	ND	Kresoxim-methyl	0.002/0.002	1	1	ND
Acetamiprid	0.002/0.002	1	3	ND	Malathion	0.01/0.04	1	2	ND
Aldicarb	0.002/0.01	1	0.1	ND	Metalaxyl	0.002/0.004	1	3	ND
Azoxystrobin	0.002/0.04	1	3	ND	Methiocarb	0.002/0.01	1	0.1	ND
Bifenazate	0.002/0.002	1	3	ND	Methomyl	0.002/0.002	1	0.1	ND
Bifenthrin	0.002/0.002	1	0.5	ND	Mevinphos	0.009/0.036	1	0.1	ND
Boscalid	0.01/0.05	1	3	ND	Myclobutanil	0.002/0.04	1	3	ND
Carbaryl	0.002/0.004	1	0.5	ND	Naled	0.002/0.01	1	0.5	ND
Carbofuran	0.002/0.01	1	0.1	ND	Oxamyl	0.002/0.002	1	0.5	ND
Chlorantraniliprole	0.002/0.01	1	3	ND	Paclobutrazol	0.002/0.004	1	0.1	ND
Chlormequat chloride	0.002/0.004	1	3	ND	Permethrins	0.002/0.01	1	1	ND
Chlorpyrifos	0.002/0.01	1	0.1	ND	Phosmet	0.002/0.002	1	0.2	ND
Clofentezine	0.002/0.002	1	0.5	ND	Piperonyl Butoxide	0.002/0.002	1	3	ND
Daminozide	0.01/0.04	1	0.1	ND	Prallethrin	0.002/0.01	1	0.4	ND
Diazinon	0.002/0.01	1	0.2	ND	Propiconazole	0.002/0.04	1	1	ND
Dichlorvos	0.002/0.04	1	0.1	ND	Propoxur	0.002/0.01	1	0.1	ND
Dimethoate	0.002/0.002	1	0.1	ND	Pyrethrins	0.001/0.013	1	1	ND
Dimethomorph	0.001/0.002	1	3	ND	Pyridaben	0.002/0.002	1	3	ND
Ethoprophos	0.002/0.01	1	0.1	ND	Spinetoram	0.001/0.003	1	3	ND
Etofenprox	0.002/0.002	1	0.1	ND	Spinosad	0.001/0.001	1	3	ND
Etoxazole	0.002/0.002	1	1.5	ND	Spiromesifen	0.002/0.002	1	3	ND
Fenhexamid	0.01/0.04	1	3	ND	Spirotetramat	0.002/0.01	1	3	ND
Fenoxycarb	0.002/0.004	1	0.1	ND	Spiroxamine	0.002/0.04	1	0.1	ND
Fenpyroximate	0.002/0.002	1	2	ND	Tebuconazole	0.01/0.04	1	1	ND
Fipronil	0.002/0.004	1	0.1	ND	Thiacloprid	0.002/0.002	1	0.1	ND
Flonicamid	0.002/0.01	1	2	ND	Thiamethoxam	0.002/0.01	1	1	ND
Fludioxonil	0.002/0.004	1	3	ND	Tri oxystrobin	0.002/0.002	1	3	ND
Hexythiazox	0.002/0.004	1	2	ND					

Diana Asensio, M.S.

Lab Director



ACT Laboratories Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Health Meds

Order #: 84320
Retail Batch #:
B003/23

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

RESIDUAL SOLVENTS

HS-GC-MS

PASS

Sample Prep

Tech: 3445
SOP: 405
Batch Number: 62157
Batch Date: 01/18/2024 17:02:08

Sample Analysis

Date/Time: 01/19/2024 13:48:48
Tech: 3445
SOP: 405
Final Weight: 0.0488 g
Volume: 1 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT(ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT(ppm)	RESULTS (ppm)
1,1-Dichloroethene	0.6/0.63	1	8	ND	Heptane	6/140	1	5000	ND
1,2-Dichloroethane	0.012/0.12	1	2	ND	Hexanes	0.06/18	1	250	ND
Acetone	9/140	1	750	ND	Isopropyl alcohol	3/140	1	500	<LOQ
Acetonitrile	0.72/25	1	60	<LOQ	Methanol	6/100	1	250	<LOQ
Benzene	0.06/1	1	1	ND	Methylene chloride	1.5/1.5	1	125	ND
Butane	48/50	1	5000	ND	Pentane	9/140	1	750	ND
Chloroform	0.2/1	1	2	<LOQ	Propane	30/30	1	5000	ND
Ethanol	12/140	1	5000	<LOQ	Toluene	0.9/53	1	150	ND
Ethyl acetate	2.4/140	1	400	ND	Total xylenes	1.8/130	1	150	ND
Ethyl ether	6/140	1	500	ND	Trichloroethylene	0.3/1	1	25	ND
Ethylene oxide	0.6/2	1	5	ND					

HEAVY METAL ANALYSIS

ICP-MS

PASS

Sample Prep

Tech: 3396
SOP: 428
Batch Number: 62165
Batch Date: 01/22/2024 11:33:56

Sample Analysis

Date/Time: 01/22/2024 14:47:37
Tech: 3396
SOP: 428
Final Weight: 0.2395 g
Volume: 60 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LIMIT (ppb)	RESULTS (ppb)
Arsenic	20/75	1	1500	ND
Cadmium	20/75	1	500	ND
Lead	20/75	1	500	ND
Mercury	20/75	1	3000	ND

Diana Asensio, M.S.

Lab Director



ACT Laboratories Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Health Meds

Order #: 84320
Retail Batch #:
B003/23

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

MICROBIAL ANALYSIS

PASS

Sample Prep

Tech: 3393
SOP: 406

Batch Number: 62149
Batch Date: 01/18/2024 13:58:59

Date/Time: 01/19/2024 14:53:19
Tech: 3358
SOP: 406

Sample Analysis

Final Weight: 1.006 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Total yeast and mold	qPCR	NA	NOT DETECTED	PASS

Sample Prep

Tech: 3393
SOP: 406

Batch Number: 62150
Batch Date: 01/18/2024 13:59:18

Date/Time: 01/22/2024 17:29:00
Tech: 4302
SOP: 406

Sample Analysis

Final Weight: 1.0218 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Aspergillus avus	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus fumigatus	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus niger	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus terreus	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Sample Prep

Tech: 3393
SOP: 406

Batch Number: 62150
Batch Date: 01/18/2024 13:59:18

Date/Time: 01/22/2024 17:29:00
Tech: 4302
SOP: 406

Sample Analysis

Final Weight: 1.0218 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Pathogenic e. coli	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Diana Asensio, M.S.

Lab Director



ACT Laboratories Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Health Meds

Order #: 84320
Retail Batch #:
B003/23

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

MICROBIAL ANALYSIS

PASS

Sample Prep

Tech: 3393
SOP: 406

Batch Number: 62150
Batch Date: 01/18/2024 13:59:18

Sample Analysis

Date/Time: 01/22/2024 17:29:00
Tech: 4302
SOP: 406

Final Weight: 1.0218 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Salmonella	qPCR	< 1 CFU/g	NOT DETECTED	PASS
STEC e. coli	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Diana Asensio, M.S.

Lab Director



ACT Laboratories Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Health Meds

Order #: 84320
Retail Batch #:
B003/23

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

Diana Asensio, M.S.

Lab Director



ACT Laboratories Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343



