



Health Meds

Order #: 84738
Retail Batch #:
D004/23

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

Order Information

Order #: 84738
Order Name: HM-ITMCBD:CBG:THC
Retail Batch #: D004/23
Received: 12/14/2023 15:07:16
Complete: 02/02/2024 19:32:01

Batch Information

Create Date: 12/13/2023
Exp. Date: 12/13/2025
Size: 30

Total Qty.: 30
Matrix: Tincture
Pickup Weight: N/A

CANNABINOID PROFILE

TESTED

LABEL CLAIM

NOT
APPLICABLE

MICROBIAL ANALYSIS

PASS

RESIDUAL SOLVENTS

PASS

AGRICULTURAL AGENTS

PASS

HEAVY METAL ANALYSIS

PASS

TERPENES

NOT TESTED

MOISTURE ANALYSIS

NOT TESTED

WATER ACTIVITY

NOT TESTED

FILTH & FOREIGN

NOT TESTED

HOMOGENEITY

NOT TESTED

MYCOTOXIN ANALYSIS

PASS



0.3149 %

Total THC

6.9289 %

Total CBD

10.7821 %

Total Cannabinoids

Diana Asensio, M.S.

Lab Director



ACT Laboratories Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Health Meds

Order #: 84738
Retail Batch #:
D004/23

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

Sample Prep

Tech: 3393
SOP: 418
Batch Number: 62052
Batch Date: 12/28/2023 12:05:08

Sample Analysis

Date/Time: 01/31/2024 14:09:15
Tech: 1012
SOP: 417
Final Weight: 0.2086 g
Volume: 40 ml

CANNABINOID PROFILE HPLC-DAD

0.3149 %
Total THC

2.976 mg
THC Per Unit

89.274 mg
THC Per Pkg

6.9289 %
Total CBD

65.478 mg
CBD Per Unit

1964.343 mg
CBD Per Pkg

10.7821 %
Total Cannabinoids

101.891 mg
Cannabinoids Per Unit

3056.725 mg
Cannabinoids Per Pkg

Cannabinoid Potency

ANALYTE	LOD/LOQ (mg/g)	DIL.	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE	LABEL CLAIM (mg)	% LABEL VAR.
CBC	0.064/0.1954	1	0.0198	0.198	0.187	5.613	--	--
CBD	0.064/0.1954	1	6.9289	69.289	65.478	1964.343	--	--
CBDA	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBDV	0.064/0.1954	1	0.0472	0.472	0.446	13.381	--	--
CBG	0.064/0.1954	1	3.4713	34.713	32.804	984.114	--	--
CBGA	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBN	0.064/0.1954	1	ND	ND	ND	ND	--	--
d8-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--
d9-THC	0.064/0.1954	1	0.3149	3.149	2.976	89.274	--	--
THCA	0.064/0.1954	1	ND	ND	ND	ND	--	--
THCV	0.064/0.1954	1	ND	ND	ND	ND	--	--

Additional Cannabinoids

ANALYTE	LOD/LOQ (mg/g)	DIL.	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE	LABEL CLAIM (mg)	% LABEL VAR.
CBDVA	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBL	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBT	0.064/0.1954	1	ND	ND	ND	ND	--	--
d10-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--
d9-THCP	0.064/0.1954	1	ND	ND	ND	ND	--	--
exo-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--

mg/unit = 1 (g) per unit x 0.945 (g/ml) x cannabinoid concentration (mg/g)
Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

CANNABINOID TOTALS	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE
Total THC	0.3149	3.149	2.976	89.274
Total CBD	6.9289	69.289	65.478	1964.343
Total Cannabinoids	10.7821	107.821	101.891	3056.725

Diana Asensio, M.S.

Lab Director



ACT Laboratories Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Health Meds

Order #: 84738
Retail Batch #:
D004/23

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

Agricultural Agents

GC-MS/MS

PASS

Sample Prep

Tech: 3393
SOP: 402
Batch Number: 62219
Batch Date: 01/31/2024 13:50:26

Sample Analysis

Date/Time: 02/01/2024 15:18:40
Tech: 2816
SOP: 402
Final Weight: 0.5206 g
Volume: 10 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL (ppm)	RESULTS (ppm)
Captan	0.07/0.1	1	3	ND
Chlordane	0.01/0.1	1	0.1	ND
Chlorfenapyr	0.01/0.1	1	0.1	ND
Coumaphos	0.01/0.1	1	0.1	ND
Cy uthrin	0.01/0.1	1	1	ND
Cypermethrin	0.01/0.1	1	1	ND
Methyl parathion	0.01/0.1	1	0.1	ND
Pentachloronitrobenzene	0.01/0.1	1	0.2	ND

MYCOTOXIN ANALYSIS

LC-MS/MS

PASS

Sample Prep

Tech: 3393
SOP: 432
Batch Number: 62221
Batch Date: 01/31/2024 15:09:54


Sample Analysis

Date/Time: 02/02/2024 12:15:11
Tech: 3445
SOP: 424
Final Weight: 0.1059 g
Volume: 2.5 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LEVEL (ppb)	RESULTS (ppb)
A atoxin B1	2/10	1	20	ND
A atoxin B2	2/10	1	20	ND
A atoxin G1	2/10	1	20	ND
A atoxin G2	2/5	1	20	ND
Ochratoxin A	2/10	1	20	ND

Diana Asensio, M.S.

Lab Director



ACT Laboratories Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Health Meds

Order #: 84738
Retail Batch #:
D004/23

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

Agricultural Agents

LC-MS/MS

PASS

Sample Prep

Tech: 3393
SOP: 432
Batch Number: 62221
Batch Date: 01/31/2024 15:09:54


Sample Analysis

Date/Time: 02/02/2024 12:15:11
Tech: 3445
SOP: 424
Final Weight: 0.1059 g
Volume: 2.5 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL(ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT(ppm)	RESULTS (ppm)
Abamectin B1a	0.002/0.035	1	0.3	ND	Imazalil	0.002/0.01	1	0.1	ND
Acephate	0.002/0.04	1	3	ND	Imidacloprid	0.002/0.002	1	3	ND
Acequinocyl	0.002/0.002	1	2	ND	Kresoxim-methyl	0.002/0.002	1	1	ND
Acetamiprid	0.002/0.002	1	3	ND	Malathion	0.01/0.04	1	2	ND
Aldicarb	0.002/0.01	1	0.1	ND	Metalaxyl	0.002/0.004	1	3	ND
Azoxystrobin	0.002/0.04	1	3	ND	Methiocarb	0.002/0.01	1	0.1	ND
Bifenazate	0.002/0.002	1	3	ND	Methomyl	0.002/0.002	1	0.1	ND
Bifenthrin	0.002/0.002	1	0.5	ND	Mevinphos	0.009/0.036	1	0.1	ND
Boscalid	0.01/0.05	1	3	ND	Myclobutanil	0.002/0.04	1	3	ND
Carbaryl	0.002/0.004	1	0.5	ND	Naled	0.002/0.01	1	0.5	ND
Carbofuran	0.002/0.01	1	0.1	ND	Oxamyl	0.002/0.002	1	0.5	ND
Chlorantraniliprole	0.002/0.01	1	3	ND	Paclobutrazol	0.002/0.004	1	0.1	ND
Chlormequat chloride	0.002/0.004	1	3	ND	Permethrins	0.002/0.01	1	1	ND
Chlorpyrifos	0.002/0.01	1	0.1	ND	Phosmet	0.002/0.002	1	0.2	ND
Clofentezine	0.002/0.002	1	0.5	ND	Piperonyl Butoxide	0.002/0.002	1	3	ND
Daminozide	0.01/0.04	1	0.1	ND	Prallethrin	0.002/0.01	1	0.4	ND
Diazinon	0.002/0.01	1	0.2	ND	Propiconazole	0.002/0.04	1	1	ND
Dichlorvos	0.002/0.04	1	0.1	ND	Propoxur	0.002/0.01	1	0.1	ND
Dimethoate	0.002/0.002	1	0.1	ND	Pyrethrins	0.001/0.013	1	1	ND
Dimethomorph	0.001/0.002	1	3	ND	Pyridaben	0.002/0.002	1	3	ND
Ethoprophos	0.002/0.01	1	0.1	ND	Spinetoram	0.001/0.003	1	3	ND
Etofenprox	0.002/0.002	1	0.1	ND	Spinosad	0.001/0.001	1	3	ND
Etoxazole	0.002/0.002	1	1.5	ND	Spiromesifen	0.002/0.002	1	3	ND
Fenhexamid	0.01/0.04	1	3	ND	Spirotetramat	0.002/0.01	1	3	ND
Fenoxycarb	0.002/0.004	1	0.1	ND	Spiroxamine	0.002/0.04	1	0.1	ND
Fenpyroximate	0.002/0.002	1	2	ND	Tebuconazole	0.01/0.04	1	1	ND
Fipronil	0.002/0.004	1	0.1	ND	Thiacloprid	0.002/0.002	1	0.1	ND
Flonicamid	0.002/0.01	1	2	ND	Thiamethoxam	0.002/0.01	1	1	ND
Fludioxonil	0.002/0.004	1	3	ND	Tri oxystrobin	0.002/0.002	1	3	ND
Hexythiazox	0.002/0.004	1	2	ND					

Diana Asensio, M.S.

Lab Director



ACT Laboratories Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Health Meds

Order #: 84738
Retail Batch #:
D004/23

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

RESIDUAL SOLVENTS

HS-GC-MS

PASS

Sample Prep

Tech: 2816
SOP: 405
Batch Number: 62226
Batch Date: 01/31/2024 18:03:31

Sample Analysis

Date/Time: 02/01/2024 16:07:06
Tech: 2816
SOP: 405
Final Weight: 0.0473 g
Volume: 1 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)
1,1-Dichloroethene	0.6/0.63	1	8	ND	Heptane	6/140	1	5000	ND
1,2-Dichloroethane	0.012/0.12	1	2	ND	Hexanes	0.06/18	1	250	ND
Acetone	9/140	1	750	ND	Isopropyl alcohol	3/140	1	500	<LOQ
Acetonitrile	0.72/25	1	60	<LOQ	Methanol	6/100	1	250	<LOQ
Benzene	0.06/1	1	1	ND	Methylene chloride	1.5/1.5	1	125	ND
Butane	48/50	1	5000	ND	Pentane	9/140	1	750	ND
Chloroform	0.2/1	1	2	ND	Propane	30/30	1	5000	ND
Ethanol	12/140	1	5000	ND	Toluene	0.9/53	1	150	ND
Ethyl acetate	2.4/140	1	400	ND	Total xylenes	1.8/130	1	150	ND
Ethyl ether	6/140	1	500	ND	Trichloroethylene	0.3/1	1	25	ND
Ethylene oxide	0.6/2	1	5	ND					

HEAVY METAL ANALYSIS

ICP-MS

PASS

Sample Prep

Tech: 3396
SOP: 428
Batch Number: 62227
Batch Date: 02/01/2024 10:40:26


Sample Analysis

Date/Time: 02/01/2024 16:46:36
Tech: 3396
SOP: 428
Final Weight: 0.2264 g
Volume: 60 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LIMIT (ppb)	RESULTS (ppb)
Arsenic	20/75	1	1500	ND
Cadmium	20/75	1	500	ND
Lead	20/75	1	500	ND
Mercury	20/75	1	3000	ND

Diana Asensio, M.S.

Lab Director



ACT Laboratories Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Health Meds

Order #: 84738
Retail Batch #:
D004/23

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

MICROBIAL ANALYSIS

PASS

Sample Prep

Tech: 3393
SOP: 406

Batch Number: 62214
Batch Date: 01/31/2024 12:13:37

Date/Time: 02/02/2024 08:31:14
Tech: 3358
SOP: 406

Sample Analysis

Final Weight: 1.0153 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Total yeast and mold	qPCR	NA	NOT DETECTED	PASS

Sample Prep

Tech: 3393
SOP: 406

Batch Number: 62222
Batch Date: 01/31/2024 15:10:48

Date/Time: 02/02/2024 15:43:30
Tech: 3358
SOP: 406

Sample Analysis

Final Weight: 1.0165 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Salmonella	qPCR	< 1 CFU/g	NOT DETECTED	PASS
STEC e. coli	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Sample Prep

Tech: 3393
SOP: 406

Batch Number: 62222
Batch Date: 01/31/2024 15:10:48

Date/Time: 02/02/2024 15:43:30
Tech: 3358
SOP: 406

Sample Analysis

Final Weight: 1.0165 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Aspergillus avus	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus fumigatus	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus niger	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus terreus	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Diana Asensio, M.S.

Lab Director



ACT Laboratories Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Health Meds

Order #: 84738
Retail Batch #:
D004/23

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

MICROBIAL ANALYSIS

PASS

Sample Prep

Tech: 3393
SOP: 406

Batch Number: 62222
Batch Date: 01/31/2024 15:10:48

Sample Analysis


Date/Time: 02/02/2024 15:43:30
Tech: 3358
SOP: 406

Final Weight: 1.0165 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Pathogenic e. coli	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Diana Asensio, M.S.

Lab Director



ACT Laboratories Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Health Meds

Order #: 84738

Retail Batch #:

D004/23

CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-0004

Diana Asensio, M.S.

Lab Director



ACT Laboratories Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343



